

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

1.9
E714

Tobacco Stocks Report

as of July 1, 1948



U. S. DEPARTMENT OF AGRICULTURE
PRODUCTION AND MARKETING ADMINISTRATION

Washington, D. C.

CONTENTS

| | Page |
|--|-------|
| Discussion - - - - - | 1 - 3 |
| Conversion factors for adjusting for losses in weight - - - - - | 4 |
| Stocks of leaf tobacco, by types, converted to a FARM-SALES-WEIGHT equivalent - - - - - | 5 |
| Production, stocks, supply, disappearance, and price of specified types (FARM-SALES-WEIGHT) - - - - - | 6 |
| Stocks of leaf tobacco, by types and groups of grades - - - - - | 7-13 |
| Stocks of Burley tobacco, by groups and qualities - - - - - | 14 |
| Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers - - - - - | 15 |
| Stocks of leaf tobacco, summary by types - - - - - | 16 |

EXPLANATION OF GROUP SYMBOLS

GROUPS OF TYPES 11, 12, 13, and 14:

A-Wrappers
B-Leaf and smoking leaf
C-Cutters
X-Lugs and primings
S-Scrap
N-Nondescript

GROUPS OF TYPES 21, 22, 23, and 24:

A-Wrappers
B-Heavy leaf
C-Thin leaf
X-Lugs
S-Scrap
N-Nondescript

GROUPS OF TYPE 31:

A-Wrappers
B-Bright leaf, red leaf, and tips
C-Lugs and cutters
X-Trash and flyings
S-Scrap
N-Nondescript

GROUPS OF TYPE 32:

B-Heavy leaf or dull crop
C-Thin leaf or bright crop
X-Seconds and ground leaves
S-Scrap
N-Nondescript

GROUPS OF TYPES 35, 36, and 37:

A-Wrappers
B-Heavy leaf
C-Thin leaf
X-Lugs
S-Scrap
N-Nondescript

GROUPS OF TYPE 41:

B-Binders or tops
C-Fillers (farm wrappers)
X-Crop-run and stemming grades
Y-Farm fillers or ground leaves
S-Scrap
N-Nondescript

GROUPS OF TYPES 42, 43, and 44:

C-Fillers (farm wrappers)
X-Crop-run and stemming grades
Y-Farm fillers or ground leaves
S-Scrap
N-Nondescript

GROUPS OF TYPE 46:

C-Superior
X-Inferior
Y-Defectuoso
S-Scrap (Picadura)
N-Nondescript

GROUPS OF TYPES 51, 52:

A-Wrappers
B-Binders, seconds, and brokes
C-Fillers and short darks
X-Stemming grades
S-Scrap
N-Nondescript

GROUPS OF TYPE 53:

B-Binders, seconds, and brokes
X-Crop-run and stemming grades
S-Scrap
N-Nondescript

GROUPS OF TYPES 54 and 55:

B-Binders
C-Fillers
X-Crop-run and stemming grades
S-Scrap
N-Nondescript

GROUPS OF TYPE 56:

B-Binders
S-Scrap
N-Nondescript

GROUPS OF TYPES 61 and 62:

A-Wrappers
B-Stout wrappers and binders
C-Fillers or tips
S-Scrap
N-Nondescript

GROUPS OF TYPES 81, 82, and 83:

A-Wrappers
C-Fillers
S-Scrap

STOCKS OF LEAF TOBACCO OWNED BY DEALERS AND MANUFACTURERS

Total Stocks Up 8 Percent From a Year Ago

Stocks of all types ^{1/} of leaf tobacco owned by dealers and manufacturers in the United States and Puerto Rico on July 1, 1948, ^{2/} totaled 3,441 million pounds (farm-sales-weight), 8 percent above stocks on July 1 the preceding year when they were 3,187 million pounds. Larger stocks of flue-cured tobacco accounted for most of the increase in total holdings. During the quarter only Maryland, Pennsylvania Seedleaf, and Puerto Rican types of tobacco were added to stocks in any appreciable quantities through sales with marketings totaling around 80 million pounds.

For the southern types of tobacco, flue-cured stocks were 20 percent greater than on July 1, 1947, fire-cured holdings increased about 13 percent, and Maryland 35 percent. Holdings of dark air-cured tobacco were only slightly larger while stocks of Burley were below a year ago. For the cigar-leaf types of tobacco, stocks of the binder and shade-grown types increased slightly as well as holdings of Pennsylvania Seedleaf, but stocks of Puerto Rican filler were down around 10 percent from July 1 last year.

^{1/} Figures quoted for type totals in this summary are the farm-sales-weight equivalent of reported stocks except foreign-grown leaf which is converted to an unstemmed equivalent basis only. Figures quoted in comments of reports prior to July 1, 1946, were on a reported weight basis. Tables in the body of the report show stocks on a farm-sales-weight basis; stocks in detail on a reported weight basis, subdivided according to recognized groupings; and stocks owned by dealers and manufacturers, separately.

^{2/} The general instructions for filing the tobacco stocks reports, required of dealers and manufacturers by the United States Department of Agriculture, specify that the report shall be made as of the opening of business on the first day of each quarter.

CIGARETTE-LEAF STOCKS

Flue-cured and Maryland Stocks Larger, Burley Stocks Down About 4 Percent Compared with Last July 1.

Stocks of flue-cured tobacco were 1,550 million pounds on July 1, 1948, as compared with holdings of 1,287 million a year earlier. Because of a decrease in exports, disappearance (domestic consumption and exports) of flue-cured tobacco during the past marketing year, July 1, 1947-June 30, 1948, declined to 1,054 million pounds compared with approximately 1,213 million for the previous marketing year. Exports were about 359 million pounds (farm-sales-weight) whereas they totaled 552 million the year before. On the other hand, domestic consumption of flue-cured climbed to an estimated 695 million pounds as against 661 million during the previous 12 months.

Holdings of Burley tobacco were down 45 million pounds from the total on hand a year ago as dealers and manufacturers owned 1,046 million pounds this July 1.

Around 19 million pounds of the 1947 crop of Maryland tobacco were marketed during the second quarter out of an estimated production of 38.4 million pounds. Marketing of Maryland tobacco does not begin until during the second quarter of the year following production. Stocks as of July 1, 1948, totaled 47.2 million pounds -- an increase of 12.1 million over a year ago. Holdings were about 9.5 million pounds above the April 1, 1948, figure.

Foreign-grown cigarette and smoking tobacco (Turkish and other), Type 90, totaled 127 million pounds or approximately the same as of April 1, 1948. Stocks were about 5 million pounds greater than those held the previous July 1.

DARK TOBACCO STOCKS

Fire-cured Stocks Increase About 20 Million Pounds Compared with July 1, 1947. Dark Air-cured Up 2.6 Million.

Fire-cured stocks on hand as of July 1, 1948, totaled 181.5 million pounds for an increase of 20.4 million compared with July 1, 1947. Most of the increase was in Types 22 and 23. Stocks by types as of this July 1 were: Virginia fire-cured 27.6 million pounds, Eastern District fire-cured 107.7 million, Western District 45.9 million, and Henderson Stemming 0.3 million.

Dark air-cured stocks increased only 2.6 million pounds above holdings on July 1, 1947, with larger holdings of Green River, Type 36, making up all of the gain. Stocks of the dark air-cured types totaled 84.6 million pounds and were divided as follows: One Sucker 46.2 million pounds, Green River 34.5 million, and Virginia sun-cured 3.9 million.

CIGAR LEAF STOCKS

Stocks of Most Domestic Cigar-Leaf Types Up Somewhat
Cuban Leaf Stocks Down 7.6 Million Pounds From a Year Ago

Stocks of all types of domestic cigar-leaf tobacco including Puerto Rican in the hands of dealers and manufacturers as of July 1, 1948, totaled 375.4 million pounds (farm-sales-weight), about 5 million above the figure for July 1 last year. Holdings of each of the major cigar-leaf types were up somewhat from last July 1 with the exception of Northern Wisconsin which was the same, and Puerto Rican which was down 8.1 million pounds. Stocks of the foreign-grown cigar-leaf types were 27.7 million pounds compared with 35.8 million as of July 1, 1947.

Cigar-filler stocks totaled 219.1 million pounds on July 1, 1948, compared with 220.8 a year ago. The bulk of the 1947 crop of Pennsylvania Seedleaf was marketed during the quarter, and stocks were raised to 119.9 million pounds compared with only 86.0 on April 1, 1948. Pennsylvania Seedleaf tobacco is normally marketed during the first quarter. Holdings of Type 41 were about 6.2 million pounds above the July 1, 1947 level. Much of the 1947-48 Puerto Rican crop, estimated to be around 24.5 million pounds, entered stocks between April 1 and July 1. Stocks of Puerto Rican this July 1 were 73.1 million pounds of which 34.8 million were held on the Island. Ohio filler stocks, Types 42-44, were 26 million pounds which is slightly greater than a year ago.

Binder type stocks on hand on July 1, 1948, totaled 141.9 million pounds which exceeds stocks reported a year ago by 5.6 million pounds. Holdings of the binder types were divided as follows: Connecticut Broadleaf 33.6 million pounds, Connecticut Havana Seed 21.7 million, New York and Pennsylvania Seed 3.2 million, Southern Wisconsin 42.2 million, Northern Wisconsin 41.1 million, and Georgia-Florida binder, 0.2 million.

Stocks of shade-grown wrapper tobacco amounted to 14.5 million pounds, as compared with 13.4 million last July 1. Connecticut shade-grown stocks were 10.7 million pounds and Georgia-Florida shade-grown totaled 3.8 million. Based on these stocks, disappearance of Connecticut Shade-grown tobacco during the marketing year, July 1, 1947 - June 30, 1948, amounted to 8.4 million pounds compared with 8.8 million the previous marketing year. For Georgia-Florida shade-grown, disappearance was 3.9 million pounds, about the same as for the previous year.

Stocks of Cuban tobacco were 26.5 million pounds which is 7.6 million below July 1 last year. Sumatra and Java stocks were 0.6 million pounds, Philippine Islands (Manila) 0.5 million and Other foreign-grown cigar-leaf 0.1 million.

Table 1.—Average percentage of weight remaining after handling, sweating, drying, and stemming for all types of tobacco, and factors used for adjusting stocks reported by dealers and manufacturers to a farm-sales weight equivalent 1/

SOUTHERN TYPES (11-37)

| Type | Type No. | Yield realized from farm-sales weight to: | | | | | | Stemming | | Factors used to multiply by to convert reported stocks | | | |
|------------------------|----------|---|---------|---------|----------------------------|---------|---------|---|------------------------------|--|--|--|--|
| | | Packed in domestic order | | | Packed weight export order | | | Yield from actual weight at time of operation | Yield from farm-sales weight | Stemmed stocks to unstemmed equivalent | Unstemmed stocks to farm-sales weight equivalent a client 2/ | | |
| | | Packed weight | Percent | Percent | Percent | Percent | Percent | | | | | | |
| Flue-cured | 11-14 | 90.0 | 89.1 | 88.7 | 88.0 | 78.0 | 69.0 | 1.282 | 1.12 | | | | |
| Virginia fire-cured | 21 | 85.0 | 84.2 | 83.4 | 83.0 | 77.0 | 64.0 | 1.299 | 1.18 | | | | |
| Tenn. & Ky. fire-cured | 22-23 | 98.5 | 94.6 | 92.7 | 91.8 | 95.0 | 69.5 | 1.316 | 1.04 | | | | |
| Henderson Stemming | 24 | 90.0 | 87.3 | 86.0 | 85.1 | 86.0 | 76.0 | 64.5 | 1.125 | | | | |
| Burley | 31 | 90.0 | 88.2 | 87.3 | 86.4 | 89.0 | 74.0 | 64.0 | 1.12 | | | | |
| Southern Maryland | 32 | 100.0 | 96.0 | 94.1 | 93.2 | 100.0 | 74.0 | 69.0 | 1.02 | | | | |
| One Sucker | 35 | 92.0 | 90.2 | 88.8 | 87.9 | 90.0 | 70.0 | 61.5 | 1.09 | | | | |
| Green River | 36 | 90.0 | 87.3 | 86.0 | 85.1 | 86.0 | 76.0 | 64.5 | 1.12 | | | | |
| Virginia sun-cured | 37 | 89.0 | 88.1 | 87.2 | 86.8 | 85.0 | 76.0 | 66.0 | 1.09 | | | | |

CIGAR LEAF TYPES (41-62)

| Type | Type No. | Yield realized from farm-sales weight to: | | | | | | Stemming | | Factors used to multiply by to convert reported stocks | | | |
|-------------------------|----------|---|-----------------|---------|---|----------------------|------------------------|--|--|--|---------|---------|---------|
| | | To the end of: | | | Yield from actual weight at time of operation | | | Stemmed stocks to unstemmed equivalent | Unstemmed stocks to farm-sales weight equivalent a client 2/ | | | | |
| | | Packed weight | Sampling weight | Percent | One year in storage | Two years in storage | Three years in storage | | | Percent | Percent | Percent | Percent |
| Pennsylvania Seedleaf | 41 | 97.3 | 86.0 | 84.0 | 82.0 | 80.6 | 72.0 | 58.0 | 1.387 | 1.11 | | | |
| Gebhard | 42 | (3) | 85.6 | 83.3 | 80.9 | 79.3 | 73.0 | 58.0 | (1.387) | (1.12 | | | |
| Zimmer | 43 | (3) | 85.4 | 83.0 | 80.8 | 78.9 | 71.5 | 56.5 | | | | | |
| Dutch | 44 | (3) | 86.5 | 84.1 | 81.7 | 80.0 | 70.5 | 56.5 | | | | | |
| Puerto Rico | 46 | 88.0 | 87.1 | 83.6 | 82.0 | — | 78.5 | 64.5 | | | | | |
| Connecticut Broadleaf | 51 | 97.0 | 87.4 | 85.4 | 83.1 | 81.1 | 77.5 | 62.5 | 1.275 | 1.17 | | | |
| Connecticut Havana Seed | 52 | 97.0 | 87.4 | 85.0 | 83.1 | 81.2 | 77.0 | 62.5 | 1.292 | 1.07 | | | |
| N. Y. & Pa. Havana Seed | 53 | 91.0 | 84.6 | 82.9 | 80.9 | 79.7 | 73.5 | 58.5 | 1.299 | 1.07 | | | |
| Southern Wisconsin | 54 | 96.3 | 83.1 | 81.5 | 79.1 | 77.9 | 77.0 | 59.5 | 1.364 | 1.135 | | | |
| Northern Wisconsin | 55 | 93.7 | 83.8 | 82.4 | 80.6 | 79.2 | 75.0 | 59.0 | 1.300 | 1.06 | | | |
| Ga. & Fla. binder | 56 | 82.5 | 80.8 | 78.8 | 77.2 | 75.7 | 78.5 | 59.0 | 1.333 | 1.085 | | | |
| Connecticut Shade | 61 | 91.1 | 88.7 | 86.3 | 84.4 | 83.0 | 81.5 | 67.5 | 1.275 | 1.245 | | | |
| Ga. & Fla. Shade | 62 | 89.1 | 87.3 | 84.5 | 82.3 | 80.6 | 82.0 | 67.0 | 1.224 | 1.135 | | | |

MISCELLANEOUS DOMESTIC AND FOREIGN-GROWN TYPES (71-90)

| Type | Type No. | Yield realized from farm-sales weight to: | | | | | | Stemming | | Factors used to multiply by to convert reported stocks | | | |
|---|----------|---|---------|---------|----------------------------|---------|---------|---|------------------------------|--|--|---|---|
| | | Packed in domestic order | | | Packed weight export order | | | Yield from actual weight at time of operation | Yield from farm-sales weight | Stemmed stocks to unstemmed equivalent | Unstemmed stocks to farm-sales weight equivalent a client 2/ | | |
| | | Packed weight | Percent | Percent | Percent | Percent | Percent | | | | | | |
| Miscellaneous Domestic | 72-73 | — | — | — | — | — | — | — | — | — | — | — | — |
| Foreign-grown cigar leaf | 81-84 | — | — | — | — | — | — | — | — | — | — | — | — |
| Foreign-grown cigarette and smoking tobacco | 90 | — | — | — | — | — | — | — | — | — | — | — | — |

¹ Information in this table taken from U. S. Department of Agriculture Circular 435. Tobacco Shrinkages and Losses in Weight in Handling and Storage, issued in July 1937. ² Factors for converting unstemmed stocks to farm-sales weight are adjusted on the basis of an average loss on the reported weight and should not be taken as indicative of full shrinkage after handling, sweating and storage. ³ Ohio-Miami Valley filler types of tobacco packed in cases by growers before delivery. ⁴ Tentative factor. ⁵ Factor has not been determined.

Table 2.-Stocks of leaf tobacco owned by dealers and manufacturers, by types, converted to a farm-sales-weight equivalent, July 1, 1948, compared with other quarters 1/

FARM-SALES WEIGHT

| Type name | U. S. | | July 1 | | April 1 | | January 1 | | October 1 | |
|--|-------|--------|-----------|-----------|-----------|------------|-----------|-----------|-----------|--|
| | type | number | 1948 | 1947 | 1946 | 1948 | 1948 | 1948 | 1947 | |
| | | | | | | | | | | |
| | | | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | |
| Flue-cured | 11-14 | | 1,550,189 | 1,286,840 | 1,147,358 | 1,804,336* | 1,973,218 | 1,639,630 | | |
| Virginia fire-cured | 21 | | 27,608 | 25,762 | 21,186 | 29,983 | 20,965 | 22,729 | | |
| Tennessee and Kentucky fire-cured (Eastern District) | 22 | | 107,648 | 96,762 | 78,737 | 116,422* | 78,014 | 86,317 | | |
| Kentucky and Tennessee fire-cured (Western District) | 23 | | 45,890 | 38,343 | 24,065 | 48,700 | 31,802 | 34,192 | | |
| Henderson Stemming | 24 | | 313 | 169 | 86 | 280 | 207 | 167 | | |
| Total fire-cured | 21-24 | | 181,459 | 161,036 | 124,074 | 195,385* | 130,988 | 143,405 | | |
| Burley | 31 | | 1,045,651 | 1,090,898 | 982,892 | 1,174,111* | 1,095,779 | 940,819 | | |
| Low-nicotine | 31-V | | 214 | | | 222 | | | | |
| Southern Maryland | 32 | | 47,199 | 35,070 | 37,722 | 37,427* | 44,786 | 52,539 | | |
| Total light air-cured | 31-32 | | 1,093,064 | 1,125,968 | 1,020,614 | 1,211,760* | 1,140,565 | 993,358 | | |
| One Sucker | 35 | | 46,216 | 46,017 | 41,027 | 50,505* | 43,248 | 40,132 | | |
| Green River | 36 | | 34,502 | 31,322 | 27,405 | 36,387 | 31,928 | 28,635 | | |
| Virginia sun-cured | 37 | | 3,931 | 4,679 | 3,570 | 4,372 | 3,467 | 3,905 | | |
| Total dark air-cured | 35-37 | | 84,649 | 82,018 | 72,002 | 91,264* | 78,643 | 72,672 | | |
| Pennsylvania Seedleaf | 41 | | 119,943 | 113,772 | 117,720 | 85,968* | 82,640 | 98,471 | | |
| Ohio Filler (Miami Valley) | 42-44 | | 26,014 | 25,765 | 30,526 | 28,606* | 22,645 | 23,716 | | |
| Puerto Rican: | | | | | | | | | | |
| In United States | 46 | | 38,316 | 46,760 | 43,931 | 43,272* | 42,100 | 42,326 | | |
| In Puerto Rico | 46 | | 34,822 | 34,507 | 41,912 | 24,350* | 23,457 | 31,680 | | |
| Total Cigar Filler | 41-46 | | 219,095 | 220,804 | 234,089 | 182,196* | 170,842 | 196,193 | | |
| Connecticut Broadleaf | 51 | | 33,597 | 31,571 | 26,547 | 34,616* | 27,582 | 28,591 | | |
| Connecticut Havana Seed | 52 | | 21,679 | 19,775 | 19,857 | 24,359* | 24,534 | 16,493 | | |
| New York and Pa. Havana Seed | 53 | | 3,155 | 2,862 | 2,413 | 2,193 | 2,545 | 2,741 | | |
| Southern Wisconsin | 54 | | 42,158 | 40,531 | 37,057 | 46,784 | 35,392 | 37,935 | | |
| Northern Wisconsin | 55 | | 41,053 | 41,179 | 32,022 | 43,273* | 34,220 | 37,630 | | |
| Georgia and Florida binder | 56 | | 212 | 300 | 161 | 314 | 229 | 435 | | |
| Total cigar binder | 51-56 | | 141,854 | 136,218 | 118,057 | 151,539* | 124,502 | 123,825 | | |
| Connecticut shade | 61 | | 10,678 | 10,128 | 10,122 | 13,603* | 16,932 | 11,957 | | |
| Georgia and Florida shade | 62 | | 3,804 | 3,245 | 3,501 | 4,681* | 6,031 | 6,361 | | |
| Total cigar wrapper | 61-62 | | 14,482 | 13,373 | 13,623 | 18,284* | 22,963 | 18,318 | | |
| Perique | 72 | | 712 | 681 | 785 | 803 | 730 | 664 | | |
| Other Miscellaneous Domestic 2/ | 73 | | 1,357 | 2,655 | 1,784 | 1,737* | 2,000 | 2,243 | | |
| Total Miscellaneous Domestic | 72-73 | | 2,069 | 3,336 | 2,569 | 2,540* | 2,730 | 2,907 | | |
| Cuba (Havana) 3/ | 81 | | 26,494 | 34,090 | 24,182 | 28,027* | 30,744 | 30,889 | | |
| Sumatra and Java 3/ 4/ | 82 | | 612 | 1,022 | 1,425 | 804 | 774 | 880 | | |
| Philippine Islands (Manila) 3/ | 83 | | 458 | 610 | 8 | 754 | 866 | 815 | | |
| Other foreign-grown cigar leaf 3/ | 84 | | 102 | 63 | 145 | 101 | 93 | 47 | | |
| Total foreign-grown cigar leaf 3/ | 81-84 | | 27,666 | 35,785 | 25,760 | 29,686* | 32,477 | 32,631 | | |
| Foreign-grown cigarette & smoking tobacco (Turkish & other) 3/ | 90 | | 126,728 | 121,518 | 95,110 | 126,822 | 122,923 | 109,567 | | |
| Total all types | 11-90 | | 3,441,255 | 3,186,896 | 2,853,256 | 3,813,812* | 3,799,851 | 3,332,506 | | |

1/ For factors used in converting weights, see table 1. July 1, 1948 figures subject to revision.

2/ For explanation of stocks included in this classification, see footnote 6 on page 13.

3/ Foreign-grown leaf is converted to an unstemmed equivalent basis only.

4/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.

* Revisions in April 1 report.

Table 3.-Production, stocks, supply, disappearance on a farm-sales-weight basis, and price of specified types, 1943-48 1/

FLUE-CURED, TYPES 11-14

| Marketing year beginning July 1 | Production | Carry-over (stocks July 1) | Total supply | Disappearance (supply less carry-over following year) | Average price to growers |
|---------------------------------------|-------------|----------------------------------|-----------------|--|--------------------------------|
| 1943 | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | Cents |
| | 790,162 | 1,378,773 | 2,168,935 | 980,110 | 40.2 |
| 1944 | 1,087,290 | 1,188,825 | 2,276,115 | 1,149,832 | 42.4 |
| 1945 | 1,173,459 | 1,126,283 | 2,299,742 | 1,152,384 | 43.6 |
| 1946 | 1,352,024 | 1,147,358 | 2,499,382 | 1,212,542 | 48.3 |
| 1947 | 1,317,466 | 1,286,840 | 2,604,306 | 2,1,054,117 | 41.2 |
| 1948 | 3/1,005,007 | 2/1,550,189 | 2/2,555,196 | | |

GEORGIA AND FLORIDA BINDER, TYPE 56

| | | | | | |
|------|--------|--------|--------|--------|------|
| 1943 | 249 | 1,148 | 1,397 | 748 | 22.0 |
| 1944 | 120 | 649 | 769 | 469 | 27.0 |
| 1945 | 186 | 300 | 486 | 325 | 33.0 |
| 1946 | 210 | 161 | 371 | 71 | 55.0 |
| 1947 | 210 | 300 | 510 | 2/ 298 | 47.0 |
| 1948 | 3/ 186 | 2/ 212 | 2/ 398 | | |

CONNECTICUT SHADE, TYPE 61

| | | | | | |
|------|----------|-----------|-----------|----------|-------|
| 1943 | 6,324 | 8,351 | 14,675 | 5,900 | 185.0 |
| 1944 | 7,735 | 8,775 | 16,510 | 6,360 | 220.0 |
| 1945 | 7,572 | 10,150 | 17,722 | 7,600 | 220.0 |
| 1946 | 8,824 | 10,122 | 18,946 | 8,818 | 240.0 |
| 1947 | 8,902 | 10,128 | 19,030 | 2/ 8,352 | 270.0 |
| 1948 | 3/ 9,240 | 2/ 10,678 | 2/ 19,918 | | |

GEORGIA AND FLORIDA SHADE, TYPE 62

| | | | | | |
|------|----------|----------|----------|----------|-------|
| 1943 | 3,696 | 4,686 | 8,382 | 2,844 | 138.0 |
| 1944 | 3,555 | 5,538 | 9,093 | 4,555 | 144.0 |
| 1945 | 3,642 | 4,538 | 8,180 | 4,679 | 150.0 |
| 1946 | 3,677 | 3,501 | 7,178 | 3,933 | 220.0 |
| 1947 | 4,452 | 3,245 | 7,697 | 2/ 3,893 | 245.0 |
| 1948 | 3/ 5,244 | 2/ 3,804 | 2/ 9,048 | | |

1/ Annual disappearance for a type is calculated for the marketing year established for that type, the year beginning on the quarterly reporting date on which stocks of the type are at their lowest point and before the new crop enters stocks.

2/ Subject to revision.

3/ Aug. 1 estimate, U. S. Crop Reporting Board.

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1948, compared with April 1, 1948
(REPORTED WEIGHT)

Type 11, Old and Middle Belt flue-cured

| Group | July 1, 1948 | | | April 1, 1948 | | |
|-------|--------------|-----------|-----------|---------------|-----------|-----------|
| | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| A | 5,164 | 5 | 5,169 | 5,497 | 2 | 5,499 |
| B | 128,781 | 4,569 | 133,350 | 163,404* | 7,964 | 171,368* |
| C | 118,558 | 27,555 | 146,113 | 133,924 | 28,502 | 162,426 |
| X | 183,228 | 36,503 | 219,731 | 213,050 | 34,763 | 247,813 |
| S | 4,807 | 5,220 | 10,027 | 5,650 | 4,802 | 10,452 |
| N | 11,690 | 711 | 12,401 | 12,452 | 840 | 13,292 |
| Total | 452,228 | 74,563 | 526,791 | 533,977* | 76,873 | 610,850* |

Type 12, Eastern North Carolina flue-cured

| | | | | | | |
|-------|---------|--------|---------|----------|--------|----------|
| A | 802 | - | 802 | 869 | - | 869 |
| B | 48,828 | 6,733 | 55,561 | 66,079* | 13,976 | 80,055* |
| C | 116,762 | 32,166 | 148,928 | 137,016 | 33,929 | 170,945 |
| X | 157,829 | 36,337 | 194,166 | 184,674 | 35,278 | 219,952 |
| S | 5,361 | 2,092 | 7,453 | 5,963 | 1,998 | 7,961 |
| N | 5,565 | 954 | 6,519 | 5,286 | 168 | 5,454 |
| Total | 335,147 | 78,282 | 413,429 | 399,887* | 85,349 | 485,236* |

Type 13, South Carolina flue-cured (including southeastern North Carolina)

| | | | | | | |
|-------|---------|--------|---------|---------|--------|---------|
| A | 507 | - | 507 | 644 | - | 644 |
| B | 31,654 | 3,302 | 34,956 | 46,487 | 5,034 | 51,521 |
| C | 60,737 | 5,344 | 66,081 | 75,726 | 6,151 | 81,877 |
| X | 115,880 | 25,154 | 141,034 | 123,072 | 25,937 | 149,009 |
| S | 2,028 | 1,566 | 3,594 | 2,840 | 1,142 | 3,982 |
| N | 1,611 | 23 | 1,634 | 3,671 | 80 | 3,751 |
| Total | 212,417 | 35,389 | 247,806 | 252,440 | 38,344 | 290,784 |

Type 14, Georgia and Florida flue-cured

| | | | | | | |
|-------|--------|--------|---------|--------|---------|---------|
| B | 16,374 | 3,666 | 20,040 | 19,899 | 8,246 | 28,145 |
| C | 2,109 | 42,451 | 44,560 | 3,544 | 50,634 | 54,178 |
| X | 10,319 | 41,009 | 51,328 | 13,015 | 40,599 | 53,614 |
| S | 454 | 777 | 1,231 | 609 | 813 | 1,422 |
| N | 517 | 409 | 926 | 1,124 | 639 | 1,763 |
| Total | 29,773 | 88,312 | 118,085 | 38,191 | 100,931 | 139,122 |

Types 11-14, Total flue-cured

| | | | | | | |
|-------|-----------|---------|-----------|------------|---------|------------|
| A | 6,473 | 5 | 6,478 | 7,010 | 2 | 7,012 |
| B | 225,637 | 18,270 | 243,907 | 295,869* | 35,220 | 331,089* |
| C | 298,166 | 107,516 | 405,682 | 350,210 | 119,216 | 469,426 |
| X | 467,256 | 139,003 | 606,259 | 533,811 | 136,577 | 670,388 |
| S | 12,650 | 9,655 | 22,305 | 15,062 | 8,755 | 23,817 |
| N | 19,383 | 2,097 | 21,480 | 22,533 | 1,727 | 24,260 |
| Total | 1,029,565 | 276,546 | 1,306,111 | 1,224,495* | 301,497 | 1,525,992* |

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1948, compared with April 1, 1948 - Cont'd.
(REPORTED WEIGHT)

Type 21, Virginia fire-cured

| Group | July 1, 1948 | | | April 1, 1948 | | | | |
|-------|--------------|-----------|-----------|---------------|-----------|-----------|-----------|-----------|
| | Unstemmed | | Stemmed | Total | Unstemmed | | Stemmed | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| A | 505 | - | 505 | 505 | 432 | - | - | 432 |
| B | 10,245 | 58 | 10,303 | 11,488 | 69 | 69 | 11,557 | |
| C | 3,629 | - | 3,629 | 3,425 | - | - | 3,425 | |
| X | 8,364 | 193 | 8,557 | 9,351 | 253 | 253 | 9,604 | |
| S | 243 | 5 | 248 | 207 | 5 | 5 | 212 | |
| N | 34 | 34 | 68 | 34 | 36 | 36 | 70 | |
| Total | 23,020 | 290 | 23,310 | 24,937 | 363 | 363 | 25,300 | |

Type 22, Tennessee and Kentucky fire-cured (Eastern District)

| | | | | | | |
|-------|---------|-----|---------|----------|------|----------|
| A | 7,921 | 124 | 8,045 | 7,564 | 22 | 7,586 |
| B | 56,316 | 231 | 56,547 | 59,465 | 192 | 59,657 |
| C | 9,373 | 77 | 9,450 | 12,187* | 40 | 12,227* |
| X | 27,948 | - | 27,948 | 31,100* | - | 31,100* |
| S | 770 | 76 | 846 | 570 | 24* | 594* |
| N | 511 | - | 511 | 692 | - | 692 |
| Total | 102,839 | 503 | 103,347 | 111,578* | 278* | 111,856* |

Type 23, Kentucky and Tennessee fire-cured (Western District)

| | | | | | | |
|-------|--------|-----|--------|--------|-----|--------|
| A | 158 | 1 | 159 | 95 | - | 95 |
| B | 24,362 | 23 | 24,385 | 26,071 | 22 | 26,093 |
| C | 7,104 | 12 | 7,116 | 7,762 | 7 | 7,769 |
| X | 11,070 | 124 | 11,194 | 11,501 | 124 | 11,625 |
| S | 208 | 3 | 211 | 160 | 3 | 163 |
| N | 1,008 | - | 1,008 | 1,033 | - | 1,033 |
| Total | 43,910 | 163 | 44,073 | 46,622 | 156 | 46,778 |

Type 24, Henderson Stemming

| | | | | | | |
|-------|-----|----|-----|-----|---|-----|
| A | 2 | - | 2 | 2 | - | 2 |
| B | 60 | - | 60 | 60 | - | 60 |
| C | 24 | - | 24 | 24 | - | 24 |
| X | 89 | - | 89 | 89 | - | 89 |
| S | 60 | 17 | 77 | 53 | - | 53 |
| N | 21 | - | 21 | 21 | - | 21 |
| Total | 256 | 17 | 273 | 249 | - | 249 |

Types 21-24, Total fire-cured

| | | | | | | |
|-------|---------|-----|---------|----------|------|----------|
| A | 8,586 | 125 | 8,711 | 8,093 | 22 | 8,115 |
| B | 90,983 | 312 | 91,295 | 97,084 | 283 | 97,367 |
| C | 20,130 | 89 | 20,219 | 23,398* | 47 | 23,445* |
| X | 47,471 | 317 | 47,788 | 52,041* | 377 | 52,418* |
| S | 1,281 | 101 | 1,382 | 990 | 32* | 1,022* |
| N | 1,574 | 34 | 1,608 | 1,780 | 36 | 1,816 |
| Total | 170,025 | 978 | 171,003 | 183,386* | 797* | 184,183* |

See footnotes at end of table.

Continued -

Table 4.-Stocks of Leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1948, compared with April 1, 1948 - Cont'd.
(REPORTED WEIGHT)

Type 31, Burley 2/

| Group | July 1, 1948 1/ | | | April 1, 1948 | | |
|-------|-----------------|-----------|-----------|---------------|-----------|-----------|
| | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| A | 2,093 | - | 2,093 | 2,307 | - | 2,307 |
| B | 264,297 | 44,498 | 308,795 | 288,975* | 49,017 | 337,992* |
| C | 301,877 | 79,988 | 381,865 | 354,018* | 82,949 | 436,967* |
| X | 144,764 | 25,988 | 170,752 | 171,961* | 25,560 | 197,521* |
| S | 4,685 | 7,837 | 12,522 | 5,596* | 7,692 | 13,288* |
| N | 2,019 | 3 | 2,022 | 2,217* | 22 | 2,239* |
| Total | 719,735 | 158,314 | 878,049 | 825,074* | 165,240 | 990,314* |

Type 31-V, Low-Nicotine

| | | | | | | |
|-------|----|-----|-----|----|-----|-----|
| Total | 50 | 104 | 154 | 57 | 104 | 161 |
|-------|----|-----|-----|----|-----|-----|

Type 32, Southern Maryland

| | | | | | | |
|-------|--------|--------|--------|---------|--------|---------|
| B | 4,491 | 139 | 4,630 | 2,668* | 147 | 2,815* |
| C | 20,060 | 10,597 | 30,657 | 12,420* | 11,600 | 24,020* |
| X | 3,460 | 129 | 3,589 | 2,649* | 107 | 2,756* |
| S | 307 | 508 | 815 | 295 | 524 | 819 |
| N | 2,583 | 1 | 2,589 | 1,936 | 2 | 1,938 |
| Total | 30,906 | 11,374 | 42,280 | 19,968* | 12,380 | 32,348* |

Type 35, One Sucker

| | | | | | | |
|-------|--------|-----|--------|---------|-----|---------|
| A | 1,322 | -- | 1,322 | 1,417 | - | 1,417 |
| B | 16,031 | 12 | 16,043 | 17,192* | 6 | 17,198* |
| C | 7,812 | - | 7,812 | 9,370 | - | 9,370 |
| X | 14,186 | 546 | 14,732 | 14,712 | 521 | 15,233 |
| S | 411 | 2 | 413 | 523 | 2 | 525 |
| N | 1,561 | 194 | 1,755 | 2,144 | 155 | 2,299 |
| Total | 41,323 | 754 | 42,077 | 45,358* | 684 | 46,042* |

Type 36, Green River

| | | | | | | |
|-------|--------|-----|--------|--------|-----|--------|
| A | 50 | - | 50 | 50 | - | 50 |
| B | 13,892 | 205 | 14,097 | 14,792 | 244 | 15,036 |
| C | 2,831 | 2 | 2,833 | 2,970 | 2 | 2,972 |
| X | 11,625 | 637 | 12,262 | 12,033 | 709 | 12,742 |
| S | 167 | - | 167 | 162 | - | 162 |
| N | 840 | 13 | 853 | 920 | 13 | 933 |
| Total | 29,405 | 857 | 30,262 | 30,927 | 968 | 31,895 |

Type 37, Virginia sun-cured

| | | | | | | |
|-------|-------|-----|-------|-------|-----|-------|
| A | 43 | - | 43 | 57 | - | 57 |
| B | 791 | 62 | 853 | 887 | 50 | 937 |
| C | 529 | 256 | 785 | 564 | 277 | 841 |
| X | 1,581 | 26 | 1,607 | 1,808 | 27 | 1,835 |
| S | 76 | 1 | 77 | 83 | - | 83 |
| N | 4 | 1 | 5 | 4 | - | 4 |
| Total | 3,024 | 346 | 3,370 | 3,403 | 354 | 3,757 |

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1948, compared with April 1, 1948 - Cont'd.
(REPORTED WEIGHT)

Types 35-37, Total dark air-cured

| Group | July 1, 1948 | | | Total | April 1, 1948 | | |
|-------|--------------|-----------|-----------|-----------|---------------|-----------|-----------|
| | Unstemmed | Stemmed | 1/ | | Unstemmed | Stemmed | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| A | 1,415 | - | 1,415 | 1,524 | - | - | 1,524 |
| B | 30,714 | 279 | 30,993 | 32,871* | 300 | 33,171* | |
| C | 11,172 | 258 | 11,430 | 12,904 | 279 | 279 | 13,183 |
| X | 27,392 | 1,209 | 28,601 | 28,553 | 1,257 | 1,257 | 29,810 |
| S | 654 | 3 | 657 | 768 | 2 | 2 | 770 |
| N | 2,405 | 208 | 2,613 | 3,068 | 168 | 168 | 3,236 |
| Total | 73,752 | 1,957 | 75,709 | 79,688* | 2,006 | 2,006 | 81,694* |

Type 41, Pennsylvania Seedleaf

| | | | | | | |
|-------|---------|-------|---------|---------|--------|---------|
| B | 5,781 | 17 | 5,798 | 5,683* | 15 | 5,698* |
| C | 82,440 | 2,454 | 84,894 | 56,123* | 2,137* | 58,260* |
| X | 7,491 | 595 | 8,086 | 6,218 | 406 | 6,624 |
| Y | 6,016 | 586 | 6,602 | 3,603 | 636 | 4,239 |
| S | 129 | 818 | 947 | 178* | 874* | 1,052* |
| N | - | - | - | - | 1 | 1 |
| Total | 101,857 | 4,470 | 106,327 | 71,805* | 4,069* | 75,874* |

Types 42-44, Ohio Filler (Miami Valley)

| | | | | | | |
|-------|--------|-------|--------|---------|-------|---------|
| C | 15,496 | 84 | 15,580 | 17,086* | 66 | 17,152* |
| X | 2,199 | 210 | 2,409 | 2,434 | 179 | 2,613 |
| Y | 3,322 | 1,052 | 4,374 | 3,861 | 1,080 | 4,941 |
| S | 3 | 168 | 171 | 25 | 213 | 238 |
| N | 106 | 1 | 107 | - | 1 | 1 |
| Total | 21,126 | 1,515 | 22,641 | 23,406* | 1,539 | 24,945* |

Type 46, Puerto Rican (In Continental United States)

| | | | | | | |
|-------|-------|--------|--------|--------|---------|---------|
| C | 5 | 21,557 | 21,562 | 9 | 23,689* | 23,698* |
| X | 1,976 | 954 | 2,930 | 2,992 | 1,075 | 4,067 |
| Y | 406 | 32 | 438 | 545 | 17 | 562 |
| S | 45 | 1,228 | 1,273 | 89* | 1,375 | 1,464* |
| N | - | 7 | 7 | - | 1 | 1 |
| Total | 2,432 | 23,778 | 26,210 | 3,635* | 26,157* | 29,792* |

Type 46, Puerto Rican (In Puerto Rico)

| | | | | | | |
|-------|--------|-------|--------|---------|--------|---------|
| C | 13,201 | 724 | 13,925 | 5,465* | 2,095 | 7,560* |
| X | 5,251 | 1,810 | 7,061 | 3,763* | 1,974* | 5,737* |
| Y | 6,194 | 563 | 6,757 | 3,566* | 1,067 | 4,633* |
| S | 180 | 682 | 862 | 15 | 1,140* | 1,155* |
| N | 3 | 90 | 93 | - | 1 | 1 |
| Total | 24,829 | 3,869 | 28,698 | 12,809* | 6,277* | 19,086* |

Type 46, Total Puerto Rican

| | | | | | | |
|-------|--------|--------|--------|---------|---------|---------|
| C | 13,206 | 22,281 | 35,487 | 5,474* | 25,784* | 31,258* |
| X | 7,227 | 2,764 | 9,991 | 6,755* | 3,049* | 9,804* |
| Y | 6,600 | 595 | 7,195 | 4,111* | 1,084 | 5,195* |
| S | 225 | 1,910 | 2,135 | 104* | 2,515* | 2,619* |
| N | 3 | 97 | 100 | - | 2 | 2 |
| Total | 27,261 | 27,647 | 54,908 | 16,444* | 32,434* | 48,878* |

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1948, compared with April 1, 1948 - Cont'd.
(REFINED WEIGHT)

Type 51, Connecticut Broadleaf

| Group | July 1, 1948 | | | April 1, 1948 | | |
|-------|--------------|-----------|-----------|---------------|-----------|-----------|
| | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| A | 1,557 | 2 | 1,559 | 1,433* | 1 | 1,434* |
| B | 21,932 | 110 | 22,042 | 23,526* | 128 | 23,654* |
| C | 365 | - | 365 | 548 | 25* | 573* |
| X | 5,485 | 276 | 5,761 | 5,542 | 229 | 5,771 |
| S | 573 | 522 | 1,095 | 43 | 484 | 527 |
| N | 310 | 1 | 311 | 139 | - | 139 |
| Total | 30,222 | 911 | 31,133 | 31,231* | 867* | 32,098* |

Type 52, Connecticut Havana Seed

| | | | | | | |
|-------|--------|-----|--------|---------|------|---------|
| A | 1,722 | 2 | 1,724 | 2,363* | 2 | 2,365* |
| B | 12,865 | 58 | 12,923 | 14,686* | 41 | 14,727* |
| C | 169 | 1 | 170 | 705 | 3* | 708* |
| X | 4,411 | 225 | 4,636 | 4,568 | 208 | 4,776 |
| S | 608 | 87 | 695 | 13 | 76 | 89 |
| N | 1 | - | 1 | 1 | - | 1 |
| Total | 19,776 | 373 | 20,149 | 22,336* | 330* | 22,666* |

Type 53, New York and Pennsylvania Havana Seed

| | | | | | | |
|-------|-------|---|-------|-------|---|-------|
| B | 1,144 | - | 1,144 | 332 | - | 332 |
| X | 1,234 | - | 1,234 | 1,599 | - | 1,599 |
| S | 399 | 2 | 401 | - | 1 | 1 |
| Total | 2,777 | 2 | 2,779 | 1,931 | 1 | 1,932 |

Type 54, Southern Wisconsin

| | | | | | | |
|-------|--------|-------|--------|--------|-------|--------|
| B | 11,473 | 36 | 11,509 | 11,884 | 13 | 11,897 |
| C | 722 | 18 | 740 | 825 | 18 | 843 |
| X | 23,951 | 2,672 | 26,623 | 27,955 | 2,607 | 30,562 |
| S | 15 | 51 | 66 | 2 | 29 | 31 |
| N | 1 | - | 1 | 3 | - | 3 |
| Total | 36,162 | 2,777 | 38,939 | 40,669 | 2,667 | 43,336 |

Type 55, Northern Wisconsin

| | | | | | | |
|-------|--------|-----|--------|--------|------|---------|
| B | 20,381 | 119 | 20,500 | 19,823 | 150 | 19,973 |
| C | 2,676 | 136 | 2,812 | 3,196 | 138* | 3,334* |
| X | 13,526 | 469 | 13,995 | 15,477 | 514 | 15,991 |
| S | 99 | 130 | 229 | 197 | 88* | 285* |
| N | 17 | - | 17 | 2 | 1 | 3 |
| Total | 36,699 | 854 | 37,553 | 38,695 | 891* | 39,586* |

Type 56, Georgia and Florida binders

| | | | | | | |
|-------|-----|---|-----|-----|----|-----|
| B | 159 | 9 | 168 | 234 | 10 | 244 |
| S | - | - | - | - | 4 | 4 |
| Total | 159 | 9 | 168 | 234 | 14 | 248 |

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1948, compared with April 1, 1948 - Cont'd.
(REPORTED WEIGHT)

Type 61, Connecticut Shade

| Group | July 1, 1948 1/ | | | April 1, 1948 | | |
|-------|-----------------|-----------|-----------|---------------|-----------|-----------|
| | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total |
| A | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| A | 8,968 | 29 | 8,997 | 11,005* | 22 | 11,027* |
| B | 153 | 2 | 155 | 636* | 11 | 647* |
| C | 86 | - | 86 | 166 | - | 166 |
| S | 5 | 124 | 129 | 2 | 109 | 111 |
| N | 4 | 2 | 6 | 2 | - | 2 |
| Total | 9,216 | 157 | 9,373 | 11,811* | 142 | 11,953* |

Type 62, Georgia and Florida Shade

| | | | | | | |
|-------|-------|-----|-------|--------|----|--------|
| A | 2,920 | 30 | 2,950 | 3,784* | 15 | 3,799* |
| B | 219 | - | 219 | 182* | - | 182* |
| C | 7 | 24 | 31 | 13 | - | 13 |
| S | - | 53 | 53 | - | 14 | 14 |
| N | 3 | 1 | 4 | 21 | - | 21 |
| Total | 3,149 | 108 | 3,257 | 4,000* | 29 | 4,029* |

SUMMARY ALL CIGAR TOBACCO 3/

July 1, 1948

| Group | Filler | Binder | Wrapper | Foreign | Total |
|-------|-----------|-----------|-----------|-----------|-----------|
| | Types | Types | Types | Types | |
| | 41-46 4/ | 51-56 | 61-62 | 81-84 5/ | |
| A | 1,000 lb. |
| A | - | 3,283 | 11,947 | 1,095 | 16,325 |
| B | 5,798 | 68,286 | 374 | - | 74,458 |
| C | 135,961 | 4,087 | 117 | 18,190 | 158,355 |
| X | 20,486 | 52,249 | - | - | 72,735 |
| Y | 18,171 | - | - | - | 18,171 |
| S | 3,253 | 2,486 | 182 | 4,783 | 10,704 |
| N | 207 | 330 | 10 | - | 547 |
| Total | 183,876 | 130,721 | 12,630 | 24,068 | 351,295 |

April 1, 1948

| | | | | | |
|-------|----------|----------|---------|---------|----------|
| A | - | 3,799* | 14,826* | 1,324* | 19,949* |
| B | 5,698* | 70,827* | 829* | - | 77,354* |
| C | 106,670* | 5,458* | 179 | 19,441* | 131,748* |
| X | 19,041* | 58,699 | - | - | 77,740* |
| Y | 14,375* | - | - | - | 14,375* |
| S | 3,909* | 937* | 125 | 5,138* | 10,109* |
| N | 4 | 146 | 23 | - | 173 |
| Total | 149,697* | 139,866* | 15,982* | 25,903* | 331,448* |

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1948, compared with April 1, 1948 - Cont'd.
(REPORTED WEIGHT)

Type 72, Perique

| Group | July 1, 1948 | | | April 1, 1948 | | |
|-------|--------------|-----------|-----------|---------------|-----------|-----------|
| | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| Total | 1,000 lb. | 490 | 1,490 | 1,000 lb. | 553 | 1,553 |

Type 73, Other miscellaneous domestic 6/

| | | | | | | |
|-------|----|-----|-----|-----|--------|--------|
| Total | 93 | 864 | 957 | 150 | 1,083* | 1,233* |
|-------|----|-----|-----|-----|--------|--------|

Types 72-73, Total miscellaneous domestic

| | | | | | | |
|-------|----|-------|-------|-----|--------|--------|
| Total | 93 | 1,354 | 1,447 | 150 | 1,636* | 1,786* |
|-------|----|-------|-------|-----|--------|--------|

Type 81, Cuba (Havana)

| | | | | | | |
|-------|-------|--------|--------|--------|---------|---------|
| A | 479 | 41 | 520 | 481* | 44 | 525* |
| C | 4,747 | 13,183 | 17,930 | 5,117* | 14,048* | 19,165* |
| S | 471 | 4,035 | 4,506 | 532* | 4,080* | 4,612* |
| Total | 5,697 | 17,259 | 22,956 | 6,130* | 18,172* | 24,302* |

Type 82, Sumatra and Java 7/

| | | | | | |
|-------|-----|----|-----|-----|-----|
| A | 555 | 20 | 575 | 799 | 799 |
| C | - | - | - | - | 3 |
| S | 9 | 20 | 29 | - | 1 |
| Total | 564 | 40 | 604 | 799 | 803 |

Type 83, Philippine Islands (Manila)

| | | | | | | |
|-------|-----|-----|-----|-----|-----|-----|
| C | 62 | 99 | 161 | 64 | 111 | 175 |
| S | 107 | 141 | 248 | 374 | 151 | 525 |
| Total | 169 | 240 | 409 | 438 | 262 | 700 |

Type 84, Other foreign-grown cigar-leaf

| | | | | | | |
|-------|----|----|----|----|----|----|
| Total | 84 | 15 | 99 | 83 | 15 | 98 |
|-------|----|----|----|----|----|----|

Type 90, Foreign-grown cigarette and smoking tobacco (Turkish and other)

| | | | | | | |
|-------|---------|---|---------|---------|---|---------|
| Total | 126,728 | - | 126,728 | 126,822 | - | 126,822 |
|-------|---------|---|---------|---------|---|---------|

Types 11-90, Total all types

| | | | | | | |
|-------|-----------|---------|-----------|------------|----------|------------|
| Total | 2,445,772 | 507,004 | 2,952,776 | 2,729,652* | 545,096* | 3,274,748* |
|-------|-----------|---------|-----------|------------|----------|------------|

1/ Subject to revision.

2/ See Supplementary Burley report on page 14.

3/ Most of the stocks in the X and Y groups will go into scrap chewing manufacture as well as part of that included in the scrap group.

4/ Includes Puerto Rican on the Island. Type 46.

5/ Type 84,-Other foreign-grown all shown in the C group.

6/ Although Type 73 is defined as all domestic types of tobacco not otherwise classified, the bulk of the stocks reported in this type consists of cuttings, clippings, and trimmings. This is the result, in most instances, of the inability of reporters to designate cuttings, clippings, and trimmings in the "S" group of the types to which they properly belong.

7/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.

* Revisions in April 1 report. Also indicates consolidation of groups in various types of cigar leaf to conform with the revised Form TB-26.

Table 5.-Stocks of Burley tobacco, by groups and qualities, owned by dealers and manufacturers, July 1, 1948, compared with April 1, 1948
(REPORTED WEIGHT)

| Group and quality | July 1, 1948 1/ | | | April 1, 1948 | | |
|--|-----------------|-----------|-----------|---------------|-----------|-----------|
| | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| A-Wrappers | 2,093 | - | 2,093 | 2,307 | - | 2,307 |
| B-Bright leaf: | | | | | | |
| Choice to fine | 15,331 | 1,003 | 16,334 | 16,823* | 1,113 | 17,936* |
| Medium or good | 45,094 | 4,894 | 49,988 | 47,230* | 6,023 | 53,253* |
| Fair to common | 38,394 | 24,382 | 62,776 | 41,538* | 26,214 | 67,752* |
| Total | 98,819 | 30,279 | 129,098 | 105,591* | 33,350 | 138,941* |
| B-Red leaf | | | | | | |
| (including green): | | | | | | |
| Choice to fine | 8,953 | 993 | 9,946 | 8,062 | 976 | 9,038 |
| Medium or good | 33,055 | 4,253 | 37,308 | 38,350* | 4,070 | 42,420* |
| Fair to common | 27,025 | 1,821 | 28,846 | 34,371* | 2,624 | 36,995* |
| Total | 69,033 | 7,067 | 76,100 | 80,783* | 7,670 | 88,453* |
| B-Tips: | | | | | | |
| Medium or good | 45,411 | 5,539 | 51,000 | 51,150 | 5,629 | 56,779 |
| Fair to common | 51,034 | 1,563 | 52,597 | 51,451* | 2,368 | 53,819* |
| Total | 96,445 | 7,152 | 103,597 | 102,601* | 7,997 | 110,598* |
| Total bright leaf, Red leaf, and tips | 264,297 | 44,498 | 308,795 | 288,975* | 49,017 | 337,992* |
| C-Lugs and cutters: | | | | | | |
| Choice to fine | 87,493 | 24,742 | 112,235 | 105,331* | 25,111 | 130,442* |
| Medium or good | 111,330 | 29,423 | 140,753 | 128,958* | 31,638 | 160,596* |
| Fair to common | 103,054 | 25,823 | 128,877 | 119,729* | 26,200 | 145,929* |
| Total | 301,877 | 79,988 | 381,865 | 354,018* | 82,949 | 436,967* |
| X-Granulators or flyings: | | | | | | |
| Choice to fine | 43,570 | 7,729 | 51,299 | 49,871 | 7,743 | 57,614 |
| Medium or good | 48,437 | 11,751 | 60,188 | 59,270* | 12,267 | 71,537* |
| Fair to common | 52,757 | 6,508 | 59,265 | 62,820* | 5,550 | 68,370* |
| Total | 144,764 | 25,988 | 170,752 | 171,951* | 25,560 | 197,521* |
| S-Scrap | 4,685 | 7,837 | 12,522 | 5,596* | 7,692 | 13,288* |
| N-Nondescript | 2,019 | 3 | 2,022 | 2,217* | 22 | 2,239* |
| Total all groups | 719,735 | 158,314 | 878,049 | 825,074* | 165,240 | 990,314* |

1/ Subject to revision.

* Revisions in April 1 report.

Table 6.-Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers, July 1, 1948 1/

REPORTED WEIGHT

| Type name | U.S. type number | Reported as owned by manufacturers 2/ | | | Reported as owned by dealers 2/ | | | Combined totals |
|--|------------------------|--|-----------|-----------|------------------------------------|-----------|-----------|--------------------|
| | | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total | |
| | | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | |
| Old and Middle Belt flue-cured | 11 | 357,267 | 72,126 | 429,393 | 94,961 | 2,437 | 97,398 | 526,791 |
| Eastern North Carolina flue-cured | 12 | 288,382 | 73,535 | 361,917 | 46,765 | 4,747 | 51,512 | 413,429 |
| South Carolina flue-cured (including Southeastern N.C.) | 13 | 191,554 | 32,627 | 224,181 | 20,863 | 2,762 | 23,625 | 247,806 |
| Georgia and Florida flue-cured | 14 | 14,582 | 87,141 | 101,723 | 15,191 | 1,171 | 16,362 | 118,085 |
| Total flue-cured | 11-14 | 351,785 | 265,429 | 1,117,214 | 177,780 | 11,117 | 188,897 | 1,306,111 |
| Virginia fire-cured | 21 | 14,034 | 256 | 14,290 | 8,986 | 34 | 9,020 | 23,310 |
| Tennessee and Kentucky fire-cured (Eastern District) | 22 | 55,124 | 397 | 55,521 | 47,715 | 111 | 47,826 | 103,347 |
| Kentucky and Tennessee fire-cured (Western District) | 23 | 14,472 | 150 | 14,622 | 29,438 | 13 | 29,451 | 44,073 |
| Henderson Stemming | 24 | 60 | 17 | 77 | 196 | - | 196 | 273 |
| Total fire-cured | 21-24 | 83,690 | 820 | 84,510 | 86,335 | 158 | 86,493 | 171,003 |
| Burley | 31 | 581,477 | 153,747 | 735,224 | 138,258 | 4,567 | 142,825 | 878,049 |
| Low-nicotine | 31-V | 50 | 104 | 154 | - | - | - | 154 |
| Southern Maryland | 32 | 19,761 | 11,135 | 30,896 | 11,145 | 239 | 11,384 | 42,280 |
| Total light air-cured | 31-32 | 601,288 | 164,986 | 766,274 | 149,403 | 4,806 | 154,209 | 920,483 |
| One Sucker | 35 | 19,820 | 729 | 20,549 | 21,503 | 25 | 21,522 | 42,077 |
| Green River | 36 | 17,434 | 852 | 18,286 | 11,971 | 5 | 11,976 | 30,262 |
| Virginia sun-cured | 37 | 2,558 | 332 | 2,890 | 466 | 14 | 480 | 3,370 |
| Total dark air-cured | 35-37 | 39,812 | 1,913 | 41,725 | 33,940 | 44 | 33,984 | 75,709 |
| Pennsylvania Seedleaf | 41 | 82,244 | 4,146 | 86,390 | 19,613 | 324 | 19,937 | 106,327 |
| Ohio Filler (Miami Valley) | 42-44 | 19,152 | 1,445 | 20,597 | 1,974 | 70 | 2,044 | 22,641 |
| Puerto Rican 3/ | 46 | 4,402 | 22,675 | 27,077 | 22,859 | 4,972 | 27,831 | 54,908 |
| Total cigar filler | 41-46 | 105,798 | 28,266 | 134,064 | 44,446 | 5,366 | 49,812 | 183,876 |
| Connecticut Broadleaf | 51 | 22,868 | 760 | 23,628 | 7,354 | 151 | 7,485 | 31,153 |
| Connecticut Havana Seed | 52 | 16,835 | 370 | 17,205 | 2,941 | 3 | 2,944 | 20,149 |
| New York and Pa. Havana Seed | 53 | 2,537 | 2 | 2,539 | 240 | - | 240 | 2,779 |
| Southern Wisconsin | 54 | 33,925 | 2,670 | 36,595 | 2,237 | 107 | 2,344 | 38,939 |
| Northern Wisconsin | 55 | 28,315 | 803 | 29,118 | 8,384 | 51 | 8,435 | 37,553 |
| Georgia and Florida binder | 56 | 93 | 6 | 99 | 66 | 3 | 69 | 168 |
| Total cigar binder | 51-56 | 104,573 | 4,631 | 109,204 | 21,222 | 295 | 21,517 | 130,721 |
| Connecticut shade | 61 | 7,311 | 157 | 7,468 | 1,905 | - | 1,905 | 9,373 |
| Georgia and Florida shade | 62 | 1,850 | 73 | 1,923 | 1,299 | 35 | 1,334 | 3,257 |
| Total cigar wrapper | 61-62 | 9,161 | 230 | 9,391 | 3,204 | 35 | 3,239 | 12,630 |
| Perique | 72 | - | 284 | 284 | - | 206 | 206 | 490 |
| Other Miscellaneous Domestic 4/ | 73 | 14 | 824 | 838 | 79 | 40 | 119 | 957 |
| Total Miscellaneous Domestic | 72-73 | 14 | 1,108 | 1,122 | 79 | 246 | 325 | 1,447 |
| Cuba (Havana) | 81 | 5,510 | 15,834 | 21,344 | 187 | 1,425 | 1,612 | 22,956 |
| Sumatra and Java 5/ | 82 | 483 | 8 | 491 | 81 | 32 | 113 | 604 |
| Philippine Islands (Manila) | 83 | 158 | 240 | 398 | 11 | - | 11 | 409 |
| Other foreign-grown cigar-leaf | 84 | 7 | 15 | 22 | 77 | - | 77 | 99 |
| Total foreign-grown cigar-leaf | 81-84 | 6,158 | 16,097 | 22,255 | 356 | 1,457 | 1,813 | 24,068 |
| Foreign-grown cigarette and smoking tobacco (Turkish & other) | 90 | 111,047 | - | 111,047 | 15,681 | - | 15,681 | 126,728 |
| Total all types | 11-90 | 1,913,326 | 483,480 | 2,396,806 | 532,446 | 23,524 | 555,970 | 2,952,776 |

1/ These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners subject to provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress. The quantities owned by dealers and manufacturers have been tabulated separately on a type total basis. Figures are as reported to date; no revisions of this table will be made.

2/ The quantities shown as owned by manufacturers include tobacco which is held under dealer registries of manufacturers and also tobacco held by dealers and known to be purchased on order for foreign or domestic manufacturers. The quantities shown as owned by dealers may include some tobacco held by dealers which is earmarked for sale to domestic manufacturers or for export. The table should therefore be considered as representing only the approximate quantities owned respectively by dealers and manufacturers.

3/ Includes stocks on the Island of Puerto Rico.

4/ For explanation of stocks included in this classification see footnote 6 on page 13.

5/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.

Table 7.—Stocks of leaf tobacco owned by dealers and manufacturers, summary by types, July 1, 1948 compared with other quarters 1/

REPORTED WEIGHT

| Type name | U.S. | July 1, 1948 2/ | | | April 1 1948 | July 1 1947 | April 1 1947 |
|--|-------|-----------------|-----------|-----------|-----------------|----------------|-----------------|
| | | type | Unstemmed | Stemmed | | | |
| | | number | Total | Total | | | |
| | | | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| Old and Middle Belt flue-cured | 11 | 452,228 | 74,563 | 526,791 | 610,850* | 435,025 | 513,915 |
| Eastern North Carolina flue-cured | 12 | 335,147 | 78,282 | 413,429 | 485,236* | 343,387 | 421,470 |
| South Carolina flue-cured (including Southeastern N.C.) | 13 | 212,417 | 35,389 | 247,806 | 290,784 | 212,714 | 256,899 |
| Georgia and Florida flue-cured | 14 | 29,773 | 88,312 | 118,085 | 139,122 | 87,889 | 106,181 |
| Total flue-cured | 11-14 | 1,029,565 | 276,546 | 1,306,111 | 1,525,992* | 1,079,015 | 1,298,465 |
| Virginia fire-cured | 21 | 23,020 | 290 | 23,310 | 25,300 | 21,701 | 23,709 |
| Tennessee and Kentucky fire-cured (Eastern District) | 22 | 102,839 | 508 | 103,347 | 111,856* | 92,929 | 92,200 |
| Kentucky and Tennessee fire-cured (Western District) | 23 | 43,910 | 163 | 44,073 | 46,778 | 36,808 | 36,477 |
| Henderson Stemming | 24 | 256 | 17 | 273 | 249 | 142 | 146 |
| Total fire-cured | 21-24 | 170,025 | 978 | 171,003 | 184,183* | 151,580 | 152,532 |
| Burley | 31 | 719,735 | 158,314 | 878,049 | 990,314* | 930,805 | 1,032,410 |
| Low-nicotine | 31-V | 50 | 104 | 154 | 161 | - | - |
| Southern Maryland | 32 | 30,906 | 11,374 | 42,280 | 32,348* | 30,924 | 22,707 |
| Total light air-cured | 31-32 | 750,691 | 169,792 | 920,483 | 1,022,823* | 961,729 | 1,055,117 |
| One Sucker | 35 | 41,323 | 754 | 42,077 | 46,042* | 41,894 | 47,639 |
| Green River | 36 | 29,405 | 857 | 30,262 | 31,895 | 27,332 | 29,392 |
| Virginia sun-cured | 37 | 3,024 | 346 | 3,370 | 3,757 | 4,010 | 4,236 |
| Total dark air-cured | 35-37 | 73,752 | 1,957 | 75,709 | 81,694* | 73,236 | 81,267 |
| Pennsylvania Seedleaf | 41 | 101,857 | 4,470 | 106,327 | 75,874* | 100,161 | 104,439 |
| Ohio Filler (Miami Valley) | 42-44 | 21,126 | 1,515 | 22,641 | 24,945* | 22,256 | 23,381 |
| Puerto Rican: | | | | | | | |
| In United States | 46 | 2,432 | 23,778 | 26,210 | 29,792* | 32,336 | 34,526 |
| In Puerto Rico | 46 | 24,829 | 3,869 | 28,698 | 19,086* | 28,061 | 20,981 |
| Total cigar filler | 41-46 | 150,244 | 33,632 | 183,876 | 149,697* | 182,814 | 183,327 |
| Connecticut Valley Broadleaf | 51 | 30,222 | 911 | 31,133 | 32,098* | 29,244 | 29,770 |
| Connecticut Valley Havana Seed | 52 | 19,776 | 373 | 20,149 | 22,666* | 18,337 | 21,474 |
| New York and Pa. Havana Seed | 53 | 2,777 | 2 | 2,779 | 1,932 | 2,498 | 2,693 |
| Southern Wisconsin | 54 | 36,162 | 2,777 | 38,939 | 43,336 | 37,857 | 32,643 |
| Northern Wisconsin | 55 | 36,699 | 854 | 37,553 | 39,586* | 37,756 | 37,079 |
| Georgia and Florida Binder | 56 | 159 | 9 | 168 | 248 | 239 | 288 |
| Total cigar binder | 51-56 | 125,795 | 4,926 | 130,721 | 139,866* | 125,931 | 123,947 |
| Connecticut shade | 61 | 9,216 | 157 | 9,373 | 11,953* | 8,876 | 10,750 |
| Georgia and Florida shade | 62 | 3,149 | 108 | 3,257 | 4,029* | 2,781 | 3,643 |
| Total cigar wrapper | 61-62 | 12,365 | 265 | 12,630 | 15,982* | 11,657 | 14,393 |
| Perique | 72 | - | 490 | 490 | 553 | 469 | 534 |
| Other Miscellaneous Domestic 3/ | 73 | 93 | 864 | 957 | 1,233* | 1,870 | 1,965 |
| Total Miscellaneous Domestic | 72-73 | 93 | 1,354 | 1,447 | 1,786* | 2,339 | 2,499 |
| Cuba (Havana) | 81 | 5,697 | 17,259 | 22,956 | 24,302* | 29,288 | 30,971 |
| Sumatra and Java 4/ | 82 | 564 | 40 | 604 | 803 | 1,021 | 1,030 |
| Philippine Islands (Manila) | 83 | 169 | 240 | 409 | 700 | 604 | 439 |
| Other foreign-grown cigar-leaf | 84 | 84 | 15 | 99 | 98 | 63 | 142 |
| Total foreign-grown cigar-leaf | 81-84 | 6,514 | 17,554 | 24,068 | 25,903* | 30,976 | 32,582 |
| Foreign-grown cigarette and smoking | | | | | | | |
| tobacco (Turkish and other) | 90 | 126,728 | - | 126,728 | 126,822 | 121,518 | 112,734 |
| Total all types | 11-90 | 2,445,772 | 507,004 | 2,952,776 | 3,274,748* | 2,740,795 | 3,056,863 |

1/ These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners except (a) the original growers of tobacco; (b) manufacturers who in the first three quarters of 1947, according to the returns of the Commissioner of Internal Revenue, manufactured less than 35,000 pounds of tobacco, less than 185,000 cigars, or less than 750,000 cigarettes, pursuant to the provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress.

2/ Subject to revision.

3/ For explanation of stocks included in this classification see footnote 6 on page 13.

4/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.

* Revisions in April 1 report.

